euro lt

866.652.2100

| Item Number	Description
1	38"h End Connector
2	19"w x 38"h Flat Panel
3	38"h 90° Connector
4	19"w x 38"h Flat Panel
5	19"w x 38"h Flat Panel
6	38"h 90° Connector
7	19"w x 38"h Flat Panel
8	38"h End Connector

41.6120"

22.6120"

Plan View

Steps:
Connect panels together in numerical order as shown in illustrations.

Set counter atop assembled pedestal.

3

4

5

6

2

Velcro shelf support to inside of assembled base as indicated.

7

1

8

Counter Top

Internal Shelf

866.652.2100

euro lt|*HYBRIDS*

Euro LT Hybrids General Setup Instructions

Using Your Setup Instructions

The Euro LT Hybrids Setup Instructions are created specifically for your configuration. They are laid out sequentially in levels, including exploded views, and a logical series of detailed steps to assemble the main structure and components. We encourage you to study the instructions **before** attempting to assemble your exhibit.

Cleaning and Packing Your Display

1) When cleaning laminate countertops or panels use mild cleansers and a soft material such as cotton.
2) Keep all display components away from extreme heat and long exposure to sunlight to avoid warping and fading.
3) Retain all packing material. It will make re-packing much easier and will reduce the likelihood of shipping damage.

Level 1 = Blue
Level 2 = Red
Level 3 = Green
Level 4 = Black

Color Code

The top clip is color coded to distinguish the level. The color coded clip also contains the numbered label

Panel Lock
When Required

Color Coded Clip
w/ assembly number

Black Clip
is bottom of
panel

Connector

Each component has 2 clips, the lower clip is ALWAYS black. .

Left Panel

Right Panel

Cut Away View Of Slide Clips

Components connect together by aligning them and sliding downward connecting clips together.

Panel Lock
When Required

Color Coded Clip
w/ assembly number

Example of Connection

Configurations are assembled from left to right, usually starting with #1 and following the numbered sequence.

Left Hand
Grasps Panel
Firmly

With Right Hand Thumb
Close to Seam
Squeeze,
Push Forward,
And Lift

Top View of Panel with Locks

The first level of components contains panel locks that are located at the top of the panel for extra stability and a seamless connection. When disassembling panels, twist top connection slightly and lift right panel upward.

Top View of Panel with Locks

© 2010

866.652.2100

Setup Hardware Box

Counter Top

Internal Shelf

9

6

7   8

5   4

2   3

10   1

Case

www.classicexhibits.com